

THE CHOICE OF PROFESSIONALS

Quality Sanding & Finishing Products




800-237-0683

sales@eezer.com

CLICK FOR:

- [Applications Guide](#)
- [Round Sanding pads](#)
- [Sanding & Grinding Accessories](#)
- [Epoxy Fiberglass Backing Plates](#)



Adobe Versions of this page (.pdf)

- [DOWNLOAD OUR CATALOG \(.pdf file\)](#)
- [DOWNLOAD OUR PRICE LIST \(.pdf file\)](#)

Download [Adobe Reader](#) [here](#)

APPLICATIONS GUIDE FOR EEZER BACK-UP PADS

Our back-up pads are divided into four categories for various applications as follows

✘ STANDARD DUTY BACK-UP PADS

PRODUCT CODES 5535-, 6636- AND 6686-

Autobody and line finishing. These pads are softer and suggested for use with fine abrasives for true finish sanding. Neither recommended nor warranted for heavy-duty production applications. 12,000 RPM max.

✘ INDUSTRIAL GRADE

PRODUCT CODES 3335B-, 5535B- AND 66368-

Mid-range industrial applications. A medium density pad for fine to medium grit abrasives. More durable than the fine finishing pads. These are OEM Dynabrade® pads. 12,000 RPM max.

✘ BULLDOG PADS (our finest)

PRODUCT CODES 5000- AND 6000-

✘ XTREME PADS

PRODUCT CODES 5595- (NO 6-INCH AT THIS TIME.)

Xtreme Pads are tough! Just as its name implies, recommended for extreme duty applications with X weight abrasive, or destroy a "Bulldog" pad - such as weld removal, granite and marble edge sanding. Exceptionally long life. 15,000 RPM max.

Pads are available with PSA, Velcro and cloth. Several styles of vacuum patterns, including the "pad," which is the most efficient vacuum design in the world.

We also produce quality 8" pads for tools made

Production woodworking and industrial pads. Firm pads for use with a broad range of abrasives. Equal or better than the best pads from other manufacturers. These are original equipment on ARO®/Ingersol Rand®. Recommended for use in general woodworking and industrial applications. Fully warranted for use in woodworking and production line applications. 15,000 RPM max.


Dynabrade®, National Detroit®, Chicago Pneu

All Eezer pads are individually inspected for flatness and run out. We guarantee our pads meet or exceed the specifications of all manufacturers of random orbital sanders.

SATISFACTION GUARANTEE

Prices effective July 1, 2005

ROUND SANDING PADS

		STANDARD DUTY BACKUP PADS 5/16 • 24 THREAD Industry's strongest 6-rivet arbor system Fully molded construction - no glue, edges protected Longer life with patented molding process Pads individually inspected and perfectly balanced Autobody and fine finishing. These pads are softer and suggested for use with fine abrasives for true finish sanding. Neither recommended nor warranted for heavy-duty production applications. 12,000 RPM max. Tapered edge with epoxy-glass backing (except as noted). Fine grit abrasive 180+. 12,000 RPM		
PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION EPOXY-GLASS BACKING EXCEPT AS NOTED**	SUGGESTED LIST PRICE
5505	5"	Glue	**Aluminum Backing, Fully Molded, Tapered Edge	16.45
5515	5"	Glue	Fully Molded, Tapered Edge	16.45
5525	5"	PSA	**Aluminum Backing, Fully Molded, Tapered Edge	16.45
5535	5"	PSA	Fully Molded, Tapered Edge	16.45
5535K	5"	Velcro	Fully Molded, Tapered Edge	19.95
5535V	5"	PSA	5-Hole Vacuum, Fully Molded, Tapered Edge	19.95
5535KV	5"	Velcro	5-Hole Vacuum, Fully Molded, Tapered Edge	21.95
5535P	5"	PSA	Petal Pad, Fully Molded, Tapered Edge	16.45
5535VP	5"	PSA	5-Hole Vacuum Petal Pad, Fully Molded, Tapered Edge	19.95
5575	5"	PSA	Straight Edge, Fully Molded, Tapered Edge	16.45
6606	6"	Glue	**Aluminum Backing, Fully Molded, Tapered Edge	16.45
6616	6"	Glue	Fully Molded, Tapered Edge	16.45
6626	6"	PSA	**Aluminum Backing, Fully Molded, Tapered Edge	16.45
6636	6"	PSA	Fully Molded, Tapered Edge	16.45
6636K	6"	Velcro	Fully Molded, Tapered Edge	19.95
6636KV	6"	Velcro	6-Hole Vacuum Ring & Groove, Fully Molded, Tapered Edge	26.95
6636P	6"	PSA	Petal Pad, Fully Molded, Tapered Edge	16.45
6636V	6"	PSA	6-Hole Vacuum, Fully Molded, Tapered Edge	21.75

6636VP	6"	PSA	6-Hole Vacuum Petal Pad, Fully Molded, Tapered Edge	21.75
6636VR	6"	PSA	6-Hole Vacuum Ring & Groove, Fully Molded, Tapered Edge	21.75
6686	6"	PSA	One-Inch-Thick Soft Pad, Fully Molded, Tapered Edge	16.45
6686K	6"	Velcro	One-Inch-Thick Soft Pad, Fully Molded, Tapered Edge	20.95



INDUSTRIAL DUTY BACKUP PADS

5/16 • 24 THREAD

Mid-Range Industrial Applications. A medium density pad for fine to medium grit abrasives. More durable than the fine finishing pads. These are OEM Dynabrade® pads. Tapered edge with epoxy-glass backing. Fine to medium grit abrasive 120+. 13,000 RPM max.

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION TAPERED EDGE, EPOXY-GLASS BACKING	SUGGESTED LIST PRICE
3335B	3.5"	PSA	Same weight as 5" pad	18.45
3335BK	3.5"	Velcro	Same weight as 5" pad	19.95
5535B	5"	PSA		17.45
6636B	6"	PSA		16.95



BULLDOG HEAVY-DUTY BACKUP PADS

5/16 • 24 THREAD

Production woodworking and industrial pads. Firm pads for use with a broad range of abrasives. Equal to or better than the best pads from other manufacturers. These are original equipment on ARD®/Ingersol Rand®.

Recommended for use in general woodworking and industrial applications. Fully warranted for use in woodworking and production line applications. Proper weight and balance for vibration-free sanding up to 15,000 RPM. Tapered edge, durable reinforced vinyl foam with thermal formed epoxy-glass backing.

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION TAPERED EDGE, EPOXY-GLASS BACKING	SUGGESTED LIST PRICE
5000	5"	PSA		18.95
5000K	5"	Velcro		20.95
5000V	5"	PSA	5-Hole Vacuum	20.95
5000KV	5"	Velcro	5-Hole Vacuum	22.95
5000VP	5"	PSA	5-Hole Vacuum Petal Pad	20.95
6000	6"	PSA		18.95
6000K	6"	Velcro		20.95
6000KV	6"	Velcro	6-Hole Vacuum, Ring & Groove	22.95
6000VR	6"	PSA	6-Hole Vacuum, Ring & Groove	20.95




XTREME DUTY BACKUP PADS - 5/16 • 24 THREAD

Xtreme Pads are tough! Just as its name applies, recommended for extreme duty applications with X weight abrasive, or jobs that destroy a "Bulldog" pad - such as weld and flash removal, granite and marble edge sanding, etc. Unaffected by sanding heat. Flexible or firm edge. Cool

running petal pad design. All abrasives including X-weight. Exceptionally long life. 15,000 RPM max.
Product Codes 5595 - (No 6-inch at this time.)

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION COOL RUNNING, PETAL PAD DESIGN	SUGGESTED LIST PRICE
5595	5"	PSA	Firm Edge Pad	19.95
5595S	5"	PSA	Soft Edge Pad	19.95
5595V	5"	PSA	Firm Edge Pad, 5-Hole Vacuum	20.95
5595VS	5"	PSA	Soft Edge Pad, 5-Hole Vacuum	20.95
5595K	5"	Velcro	Firm Edge Pad	21.95
5595KS	5"	Velcro	Soft Edge Pad	21.95
5595KV	5"	Velcro	Firm Edge Pad, 5-Hole Vacuum	22.95
5595KVS	5"	Velcro	Soft Edge Pad, 5-Hole Vacuum	22.95



PADS WITH 5/8 X 11 FEMALE HUBS

Use with angle head sanders and polishers. Medium to coarse abrasives. 6,000 RPM

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION TAPERED EDGE, EPOXY-GLASS BACKING	SUGGESTED LIST PRICE
5000H	5"	PSA	5/8" x 11" Threaded Hub Attached	19.95
5000HK	5"	Velcro	5/8" x 11" Threaded Hub Attached	22.95
6000H	6"	PSA	5/8" x 11" Threaded Hub Attached	19.95
6000HK	6"	Velcro	5/8" x 11" Threaded Hub Attached	22.95
7000H	7"	PSA	5/8" x 11" Threaded Hub Attached	22.95
7000HK	7"	Velcro	5/8" x 11" Threaded Hub Attached	25.95
8838	8"	PSA	5/8" x 11" Threaded Hub Attached	22.85
8838K	8"	Velcro	5/8" x 11" Threaded Hub Attached	29.95



8" ORBITAL PADS, 5 & 6 HOLE MOUNT

Tapered edge with epoxy-glass backing.

PART	ABRASIVE	ABRASIVE	DESCRIPTION	SUGGESTED
------	----------	----------	-------------	-----------

NUMBER	SIZE (DIA)	TYPE	TAPERED EDGE, EPOXY-GLASS BACKING	LIST PRICE
8828	8"	PSA	5-Hole Mount	19.95
8828P	8"	PSA	5-Hole Mount, Petal Pad	19.95
8828K	8"	Velcro	5-Hole Mount	26.95
8828VP	8"	PSA	5-Hole Mount, Petal Pad Vacuum	32.95
8828PVK	8"	Velcro	5-Hole Mount, Petal Pad Vacuum	37.95
8898	8"	PSA	6-Hole Mount	19.45
8898K	8"	Velcro	6-Hole Mount	26.95
8898VP	8"	PSA	6-Hole Mount, Petal Pad Vacuum	32.95
8898PVK	8"	Velcro	6-Hole Mount, Petal Pad Vacuum	32.95



PADS FOR ELECTRIC PALM SANDERS

Industrial duty high performance replacement. 3-hole universal mount. Fits Porter Cable®, Makita®, Bosh® and DeWalt®

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION INDUSTRIAL DUTY, HIGH PERFORMANCE REPLACEMENT 3-HOLE, UNIVERSAL MOUNT	SUGGESTED LIST PRICE
5591	5"	PSA		14.95
5592	5"	PSA	5-Hole Vacuum	15.95
5594	5"	PSA	8-Hole Vacuum	15.95
5597	5"	Velcro		16.45
5598	5"	Velcro	5-Hole Vacuum	17.45
5599	5"	Velcro	8-Hole Vacuum	17.45

SANDING & GRINDING ACCESSORIES



STRAIGHTLINE SANDING SHOES

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION FITS ALL INLINE SANDERS EXCEPT HUTCHINS®	SUGGESTED LIST PRICE
1500	2¾ x 16½	PSA	One Clip	20.45
1500P	2¾ x 16½	PSA	One Clip, Post Pad	20.45
1600	2¾ x 17	PSA	PSA & Clip-on	20.45
1600P	2¾ x 17	PSA	PSA & Clip-on, Post Pad	20.95

1600K	2¾ x 16½	Velcro		26.95
1600V	2¾ x 16¼	PSA	Vacuum, Eezer 2050 Replacement	32.95
1600VK	2¾ x 16¼	Velcro	Vacuum, Eezer 2050 Replacement	39.95
1611V	2¾ x 11	PSA	Viking Replacement	19.95
1611VV	2¾ x 11	PSA	Viking Vacuum	29.95



HANDSANDERS WITH HARDWOOD HANDLES

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION PAD SURFACE WORKS WITH BOTH CLIP-ON AND PSA ABRASIVES; ALUMINUM BASE	SUGGESTED LIST PRICE
1400 (or)	2¾ x 17 2¾ x 16¼	Clip-on PSA	Base Length: 15¾ Base Length: 15¾	23.95
1400F (or)	2¾ x 17 2¾ x 16¼	Clip-on PSA	Base Length: 15¾, Lacquered Handle Base Length: 15¾	24.95
1400P (or)	2¾ x 17 2¾ x 16¼	Clip-on PSA	Base Length: 15¾, Post Surface Base Length: 15¾	24.95
1400K	2¾ x 16½	Velcro	Base Length: 15¾	28.95
1400D	2¾ x 16½	PSA	Base Length: 15¾, Dustless Handsander	38.95
1400DK	2¾ x 16½	Velcro	Base Length: 15¾, Dustless Handsander	44.95
1411 (or)	2¾ x 11 2¾ x 9¾	Clip-on PSA	Base Length: 9½ Base Length: 9½	20.95
1411D	2¾ x 9½	PSA	Base Length: 9½, Dustless Handsander	35.95
1411DK	2¾ x 9½	Velcro	Base Length: 9½, Dustless Handsander	40.45
1408 (or)	2¾ x 8 2¾ x 7¼	Clip-on PSA	Base Length: 6¾ Base Length: 6¾	16.95
1416 (or)	2¾ x 17 2¾ x 16¼	Clip-on PSA	Base Length: 15¾ Base Length: 15¾	24.00
1405D	2¾ x 5¼	PSA	Base Length: 6¾, Dustless Handsander	24.95



DUSTLESS SANDING ACCESSORIES

PART NUMBER	DESCRIPTION	SUGGESTED LIST PRICE
2050	Straightline Sander Adapter Kit	92.50
2052V	Mini Straightline Sander Adapter Kit	92.50
2060	6" Adapter Kit, National Detroit Style	92.50
2080	8" Adapter Kit, National Detroit Style	92.50
2060-3	1 1/8" to 1 1/4" Vacuum Hose Adapter, Aluminum Coupling	6.95
2060-4	1 1/8" Flex Hose, Per Foot	3.25
V1013	3/4" x 8' Ultralight Handsander Hose	46.95

EPOXY FIBERGLASS BACKING PLATES

WARNING! Use only as stacked sets, at least two sizes, one behind the other for "leaf spring effect." Failure to do so will limit the life of the plates and void the warranty. Never use a single backing plate alone. Never use a backing plate without first inspecting it for signs of irregularities such as fracture, excessive wear, nicks, or cuts at the edge or center hole. Do not exceed maximum RPM if so marked. Always wear safety glasses and face shield when grinding.



STANDARD DUTY

PART NUMBER	ABRASIVE SIZE (DIA)	ABRASIVE TYPE	DESCRIPTION	SUGGESTED LIST PRICE
4403	3"	.040"	Formed 2 Degrees, 7/8" Center Hole	3.75
4404	4 1/2"	.040"	Formed 2 Degrees, 7/8" Center Hole	4.35
4405	5"	.040"	Formed 2 Degrees, 7/8" Center Hole	5.50
4406	6"	.040"	Formed 2 Degrees, 7/8" Center Hole	6.25
4407	7"	.040"	Formed 2 Degrees, 7/8" Center Hole	7.90
4409	9"	.040"	Formed 2 Degrees, 7/8" Center Hole	9.85



HEAVY DUTY

PART NUMBER	DIAMETER	THICKNESS	DESCRIPTION	SUGGESTED LIST PRICE
4605	5"	.062"	FORMED 2 DEGREES • 7/8" CENTER HOLE	5.90

4607	7"	.062"	Formed 2 Degrees, 7/8" Center Hole	8.00
4609	9"	.062"	Formed 2 Degrees, 7/8" Center Hole	10.45



BACKING PLATE SETS

PART NUMBER	DIAMETER	THICKNESS	DESCRIPTION FORMED 2 DEGREES • 7/8" CENTER HOLE	SUGGESTED LIST PRICE
4200	-	.040"	4403 & 4404, In Poly Bag	7.75
4300	-	.040"	4403, 4404 & 4405, On Skin-Packed Display Card	13.50
4400	-	.040"	4403, 4404, 4406, 4407 Trimeezer Cuts, Poly Bag	21.00

WARRANTY Satisfaction Guaranteed

EEZER® Products, Inc. guarantees these products to be free of defects in original workmanship and materials. If any defect develops, **EEZER**® will replace the product at no charge, provided the defect is not the result of mishandling or abuse on the part of the user and that the defective product is returned to the factory with transportation charges prepaid.



Made With Pride in the USA
 4734 E. Home Avenue
 Fresno, CA 93703
 Telephone: 559-255-4140 or 800-2
 Fax: 559-255-4907
[Send E-Mail](#)

[Main Page](#)
[Foam Grips](#)
[More About](#) [Products](#)

